

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	25	(flag\$1 or flg\$1) near30 (load\$3 or nonload\$3 or non-load\$3 or (non adj1 load\$3)) and 235/379, 380,492.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/10/08 20:58
L3	713	data near1 block\$2 same memory same card\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/10/08 20:58
S1	39739	data near1 block\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/11/17 13:50
S2	991	data near1 block\$2 same card\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/07/01 13:44
S4	462	data near1 block\$1 same memory same card\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 22:10
S5	55	data near1 block\$1 same memory same card\$1 same load\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 15:32
S6	18	data near1 block\$1 same memory same card\$1 same load\$3 same program\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 15:51
S7	5151	program\$1 same data near1 block\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 15:54
S8	95	computer near1 program\$1 same block\$1 same memory same card\$1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 22:10
S9	0	computer near1 program\$1 same block\$1 same memory same card\$1 same (contactless or contact-less or (contact adj1 less))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 16:46
S10	6	computer near1 program\$1 same block\$1 same memory same card\$1 same (smart or chip)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 22:03
S11	0	computer near1 program\$1 same (data near1 block\$1) same memory same card\$1 same (smart or chip)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 16:51

S12	3281	235/379,380.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 22:03
S13	1	"5856659".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/06/29 16:21
S14	1	"5161231".PN.	USPAT	OR	OFF	2003/06/24 22:03
S15	12	"5161231".URPN.	USPAT	OR	OFF	2003/06/24 22:04
S16	1	235/379,380.ccls. and (computer near1 program\$1 same block\$1 same memory same card\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/06/24 22:35
S17	6277	(flag\$1 or flg\$1) near30 (load\$3 or nonload\$3 or non-load\$3 or (non adj1 load\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/10/08 20:57
S18	1593	(flag\$1 or flg\$1) near30 (load\$3 or nonload\$3 or non-load\$3 or (non adj1 load\$3)) same memory	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/11/17 13:52
S19	1593	(flag\$1 or flg\$1) near30 load\$3 same memory	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/11/17 13:54
S20	44	(flag\$1 or flg\$1) near30 load\$3 same memory same (portable or card)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/11/17 13:54
S21	49	235/379,380.ccls. and (data near1 block\$2 same card\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/07/01 13:46
S22	30	235/492.ccls. and (data near1 block\$2 same card\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2003/11/18 06:12
S23	1	"5856659".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/06/29 16:21
S24	8	("5856659").URPN.	USPAT	OR	OFF	2005/07/01 09:27
S25	2	S24 and count\$4	USPAT	OR	OFF	2005/07/01 13:39
S26	8	("5856659").URPN.	USPAT	OR	OFF	2005/07/01 13:39
S27	2	S26 and count\$4	USPAT	OR	OFF	2005/07/01 13:43
S28	1	S27 and count\$4 and card\$4	USPAT	OR	OFF	2005/07/01 13:39
S29	853	340/568.7,5.6,5.61,5.64.ccls.	USPAT	OR	OFF	2005/07/01 13:44

S30	1	S29 and (data near1 block\$2 same card\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/07/01 13:44
S31	75	235/379,380,492.ccls. and (data near1 block\$2 same card\$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2005/07/01 13:46